



#### KEYNOTES

- ① SUB-BASE OPTIONS PER ADA GUIDELINES: (1) COMPACTED AGGREGATE - 4" OF 3/4" MINUS IRREGULAR STONE WITH FINES COMPACTED TO 95% IN 2" WATERED LIFTS. (2) CONCRETE - MINIMUM OF 3-4" AT A MINIMUM 2500 PSI. MUST CURE FOR 7 DAYS PRIOR TO CUSHION LAYER. MUST CURE FOR 28 DAYS IF WEAR COURSE IS TO BE APPLIED DIRECTLY TO CONCRETE SURFACE. (3) ASPHALT - MUST CURE A MINIMUM OF 14 DAYS, POWER WASHED
- ② 45 DEGREE TURN DOWN
- ③ EXISTING SOLID COMPACTED DIRT

ROBERTSON RECREATIONAL SERVICES  
ADDRESS: 2414 W. 12TH STREET SUITE 5  
TEMPE, ARIZONA 85281  
PHONE: 800-858-0619  
WEBSITE: WWW.TOTURF.COM

## DETAIL-1

### SUB-BASE SITE PREP

DATE: 09-12-2016  
REVISION DATE: 12-12-2016  
SCALE: N.T.S.  
DRAWN BY: ATL  
SIGNED/APPROVED: